

## Exhibit C

**Aledade CMS-HCC Coding MasterSheet**

This guide has been designed for clinicians who treat Medicare patients in Aledade Accountable Care Organizations. It is limited in scope and does not contain all possible codes. More accurate and more specific codes may be available and should always be used as clinically indicated. All HCC weights are estimates.



Diabetes and Complications			Major Depressive Disorder			Alcohol Continued			Circulatory System Diseases		
ICD-10 codes listed below are for E11: Diabetes Mellitus Type 2. Other Diabetes types use the same suffixes for each root listed below: E08: DM Due to underlying condition E09: DM, Medication Induced E10: DM Type 1 e.g. E10.65 = DMT1 w/ hyperglycemia Avoid using E11.9 DMT2 uncomplicated when complications are clearly present. See below for most common DM complications.			Avoid using F32.9 MDD Single Episode NOS since has no risk weight. Choose a more accurate code below or use F39: Unspecified Mood Disorder			F10.29 Alcohol dependence w/ unspec. alcohol-induced d/o			<b>Heart Disease</b>		
E11.65	DMT2 w/ hyperglycemia	0.3	F32.0	MDD, single episode, mild	0.3	F10.929	Alcohol use, unspec. w/ intoxication, unspec.	0.3	120.0	Unstable angina	0.1
E11.21	DMT2 w/ nephropathy	0.3	F32.1	MDD, single episode, moderate	0.3	F10.94	Alcohol use, unspec. w/ alcohol-induced mood d/o	0.3	120.9	Stable Angina (Angina pectoris)	0.1
E11.22	DMT2 w/ chronic kidney disease	0.3	F33.0	MDD, recurrent, mild	0.3	F10.988	Alcohol use, unspec. w/ other alcohol-induced d/o	0.3	124.9	Acute ischemic heart disease, unspec.	0.1
E11.69	DMT2 w/ other spec. complications	0.3	F33.1	MDD, recurrent, moderate	0.3	F10.99	Alcohol use, unspec. w/ unspec. alcohol-induced d/o	0.3	125.119	AHSD of native coronary artery w/ unspec. angina pectoris	0.1
E11.29	DMT2 w/ other diabetic kidney complication	0.3	F33.9	MDD, recurrent, unspec.	0.3	<b>Opioids</b>			<b>Cerebrovascular Disease</b>		
E11.311	DMT2 w/ unspec. diabetic retinopathy w/ macular edema	0.3	F33.40	MDD, recurrent, in remission, unspec.	0.3	F11.10	Opioid abuse, uncompl.	0.3	When evaluating a patient status post CVA remember to code for residual deficits if present		
E11.319	DMT2 w/ unspec. diabetic retinopathy w/o macular edema	0.3	F32.4	MDD, single episode, in partial remission	0.3	F11.11	Opioid abuse, in remission	0.3	169.339	Monoplegia of upper limb following cerebral infarction affecting unspec. side	0.3
E11.3559	DMT2 with stable proliferative diabetic retinopathy, unspecified eye *	0.5	F33.41	MDD, recurrent, in partial remission	0.3	F11.20	Opioid dependence, uncompl.	0.3	169.349	Monoplegia of lower limb following cerebral infarction affecting unspec. side	0.3
E11.36	DMT2 w/ diabetic cataract	0.3	F32.5	MDD, single episode, in full remission	0.3	F11.21	Opioid dependence, in remission	0.3	169.359	Hemiplegia and hemiparesis following cerebral infarction affecting unspec. side	0.4
E11.39	DMT2 w/ other diabetic ophthalmic complication	0.3	F33.42	MDD, recurrent, in full remission	0.3	F11.988	Opioid use, unspec. w/ other opioid-induced d/o	0.3	169.369	Other paralytic syndrome following cerebral infarction affecting unspec. side	0.4
E11.40	DMT2 w/ diabetic neuropathy, unspec.	0.3	F33.8	Other recurrent depressive disorder	0.3	F11.99	Opioid use, unspec. w/ unspec. opioid-induced d/o	0.3	<b>Specified Heart Arrhythmia</b>		
E11.49	DMT2 w/ other diabetic neurological comp.	0.3	F39	Unspec. mood disorder	0.3	<b>Sedatives, Hypnotics, Anxiolytics</b>			147.9	Paroxysmal tachycardia, unspec.	0.2
E11.51	DMT2 w/ peripheral angiopathy w/o gangrene *	0.6	If making the diagnosis of Anxiety and Depression remember to add an MDD code such as F39 as GAD has no weight in the current CMS HCC model.			F13.10	Sed, hyp, or anxiolytic abuse, uncompl.	0.3	148.0	Paroxysmal atrial fib.	0.2
E11.52	DMT2 w/ diabetic peripheral angiopathy w/ gangrene	0.3	<b>Obesity</b>			F13.11	Sed, hyp, or anxiolytic abuse, in remission	0.3	148.20	Chronic atrial fib.	0.2
E11.59	DMT2 w/ other circulatory complication	0.3	E66.01	BMI > 35 w/ co-morbid condition such as COPD, DM, HTN, HLD, OSA, OA, etc	0.3	F13.20	Sed, hyp, or anxiolytic dependence, uncompl.	0.3	148.92	Unspec. atrial flutter	0.2
E11.610	DMT2 w/ diabetic neuropathic arthropathy	0.3	Z68.41	Body mass index (BMI) 40.0-44.9, adult	0.3	F13.21	Sed, hyp, or anxiolytic dependence, in remission	0.3	149.2	Junctional premature depolarization	0.2
E11.618	DMT2 w/ other diabetic arthropathy	0.3	Z68.42	Body mass index (BMI) 45.0-49.9, adult	0.3	F13.99	Sed, hyp, or anxiolytic use, unspec. w/ unspec. sed, hyp, or anxiolytic-induced d/o	0.3	<b>Congestive Heart Failure</b>		
E11.620	DMT2 w/ diabetic dermatitis	0.3	Z68.43	Body mass index (BMI) 50-59.9, adult	0.3	<b>Behavioral Health</b>			111.0	Hypertensive heart disease w/ heart failure	0.3
E11.621	DMT2 w/ foot ulcer *	0.8	Z68.44	Body mass index (BMI) 60.0-69.9, adult	0.3	F60.9	Personality d/o, unspec.	0.3	142.0	Dilated cardiomyopathy	0.3
E11.622	DMT2 w/ other skin ulcer *	0.8	Z68.45	Body mass index (BMI) 70 or greater, adult	0.3	<b>Blood and Blood-forming Organs Diseases</b>			150.20	Unspec. Systolic heart failure	0.3
E11.628	DMT2 w/ other skin complications	0.3	E66.01	Morbid (severe) obesity due to excess calories	0.3	D57.1	Sickle-cell disease w/o crisis	1.4	150.22	Chronic systolic heart failure	0.3
E11.630	DMT2 w/ periodontal disease	0.3	E66.2	Morbid (severe) obesity w/ alveolar hypoventilation	0.3	D57.3	Sickle-cell trait	0.2	150.32	Chronic diastolic heart failure	0.3
E11.649	DMT2 w/ hypoglycemia w/o coma	0.3	<b>Alcohol and Substance Use, Abuse, Dependence</b>			D59.0	Drug-induced autoimmune hemolytic anemia	1.4	150.21	Acute systolic heart failure	0.3
E11.8	DMT2 w/ unspec. complications	0.3	When evaluating a patient with an Alcohol or Substance Use Disorder remember that Use codes have the same weight as Abuse and Dependence codes and may have therapeutic relationship advantages.			D61.811	Other drug-induced pancytopenia	0.7	150.23	Acute diastolic heart failure	0.3
			F12: Marijuana F14: Cocaine F15: Stimulants F16: Hallucinogens F19: Psychoactive			D61.818	Other pancytopenia	0.7	150.9	Heart failure, unspec.	0.3
			<b>Alcohol</b>			D68.69	Other thrombophilia	0.2	150.810	Right heart failure, unspec.	0.3
			F10.120	Alcohol abuse w/ intoxication, uncompl.	0.3	D68.9	Coagulation defect, unspec.	0.2	<b>COPD</b>		
			F10.19	Alcohol abuse w/ unspec. alcohol-induced d/o	0.3	D69.6	Thrombocytopenia, unspec.	0.2	J41.0	Simple Chronic Bronchitis	0.3
			F10.20	Alcohol dependence, uncompl.	0.3	D70.9	Neutropenia, unspec	0.6	J42	Unspec. Chronic Bronchitis	0.3
			F10.21	Alcohol dependence, in remission	0.3	D84.9	Immunodeficiency, unspec	0.7	J42	Unspec. Chronic Bronchitis	0.3
									J43.9	Emphysema, Unspec.	0.3
									J44.1	COPD w/ (acute) exacerbation	0.3

Licensed clinicians should rely on their independent medical judgment to decide whether suggested diagnoses are relevant. Wellness visits are a great opportunity to review and code all appropriate diagnoses. In any visit, ensure appropriate medical evaluation and documentation of the diagnosis to justify billing the payer.

\* Indicates a single code that carries weight in 2 categories

**Aledade CMS-HCC Coding MasterSheet**

This guide has been designed for clinicians who treat Medicare patients in Aledade Accountable Care Organizations. It is limited in scope and does not contain all possible codes. More accurate and more specific codes may be available and should always be used as clinically indicated. All HCC weights are estimates.



COPD Continued		
J96.10	Chronic respiratory failure, unspec. w/ hypoxia or hypercapnia	0.3
J44.9	COPD, Unspec.	0.3
Fibrosis of Lung and Other Chronic Lung Disorder		
J84.10	Pulmonary Fibrosis	0.3
J60	Coalworker's pneumoconiosis	0.2
Eye Disease		
H43.10	Vitreous hemorrhage, unspec. eye	0.2
Macular Degeneration		
H35.3220	Exudative age-related macular degeneration, left eye, stage unspec.	0.5
H35.3290	Exudative age-related macular degeneration, unspec. eye, stage unspec.	0.5
Gastrointestinal System		
K50.90	Crohn's disease, unspec., w/o complications	0.3
K51.90	Ulcerative colitis, unspec., w/o complications	0.3
K73.9	Chronic hepatitis, unspec.	0.2
K86.0	Alcohol-induced chronic pancreatitis	0.3
K86.1	Other chronic pancreatitis	0.3
K70.9	Alcoholic liver disease, unspec.	0.4
K74.5	Biliary cirrhosis, unspec.	0.4
K74.60	Unspec. cirrhosis of liver	0.4
I85.00	Esophageal varices w/o bleeding	0.9
K72.10	Chronic hepatic failure w/o coma	0.9
K76.6	Portal hypertension	0.9
Z93.4	Other artificial openings of gastrointestinal tract status	0.5
Z94.4	Liver transplant status	0.8
Infectious Disease		
B18.9	Chronic viral hepatitis, unspec.	0.1
B20	Human immunodeficiency virus [HIV] disease	0.3
Z21	Asymptomatic human immunodeficiency virus [HIV] infection status	0.3
J15.8	Pneumonia due to other specified bacteria	0.5
J18.1	Lobar pneumonia, unspec. organism	0.1
Kidney Disease		
I12.0	Hypertensive CKD w/ stage 5 CKD or end stage renal disease	0.3

Kidney Disease Continued		
I13.11	Hypertensive heart and CKD w/out heart failure, w/ stage 5 CKD, or end stage renal disease	0.3
I13.2	Hypertensive heart and CKD w/ heart failure, and w/ stage 5 CKD, or end stage renal disease *	0.6
N28.0	Ischemia and infarction of kidney	0.4
Z99.2	Dialysis Status	0.4
Chronic Kidney Disease		
N18.3	Chronic kidney disease, stage 3	0.1
N18.4	Chronic kidney disease, stage 4 (severe)	0.3
N18.5	Chronic kidney disease, stage 5	0.3
N18.6	End stage renal disease	0.3
Z99.2	Dependence on renal dialysis	0.4
N17.9	Acute kidney failure, unspec.	0.4
Z91.15	Patient's noncompliance w/ renal dialysis	0.4
Musculoskeletal System and Connective Tissue Diseases		
M00.9	Pyogenic arthritis, unspec.	0.4
M05.9	Rheumatoid arthritis w/ rheumatoid factor, unspec.	0.4
M06.9	Rheumatoid arthritis, unspec.	0.4
M31.5	Giant cell arteritis w/ polymyalgia rheumatica	0.4
M32.9	Systemic lupus erythematosus, unspec.	0.4
M35.3	Polymyalgia rheumatica	0.4
M45.9	Ankylosing spondylitis of unspec. sites in spine	0.4
M86.10	Other acute osteomyelitis, unspec. site	0.4
M86.30	Chronic multifocal osteomyelitis, unspec. Site	0.4
Neoplasms		
Code for cancer when patient is undergoing chemotherapy or suppressive therapy. Hematologic tumors carry weight in remission solid tumors do not. Remember to code for any secondary malignancies, hematologic, constitutional, and immunologic side effects of the treatment or the disease when present.		
C18.9	Malignant neoplasm of colon, unspec.	0.3
C34.90	Malignant neoplasm of unspec. part of unspec. bronchus or lung	1
C50.919	Malignant neoplasm of unspec. site of unspec. female breast	0.2
C61	Malignant neoplasm of prostate	0.2

Neoplasms Continued		
C80.0	Disseminated Malignant Neoplasm, unspec	2.7
C90.00	Multiple myeloma not having achieved remission	1
C90.01	Multiple myeloma in remission	1
C90.02	Multiple myeloma in relapse	1
C91.00	ALL not having achieved remission	2.7
C91.01	ALL, in remission	2.7
C91.02	ALL, in relapse	2.7
C92.00	AML, not having achieved remission	2.7
C92.01	AML, in remission	2.7
C92.02	AML, in relapse	2.7
C95.90	Leukemia, unspec. not having achieved remission	0.7
C95.91	Leukemia, unspec., in remission	0.7
C95.92	Leukemia, unspec., in relapse	0.7
C79.9	Secondary Malignant Neoplasm of unspec site	2.7
D70.1	Agranulocytosis secondary to cancer chemotherapy	0.7
R64	Cachexia	0.5
D84.9	Immunodeficiency, unspec.	0.7
Nervous System Diseases		
G20	Parkinson's disease	0.6
G30.9	Alzheimer's dz unspec	0.3
G35	Multiple sclerosis	0.4
G40.409	SZ d/o w/o status epilepticus	0.3
G31.2	Degeneration of nervous system due to alcohol	0.3
F01.50	Vascular dementia w/o behavioral disturbance	0.3
F01.51	Vascular dementia w/ behavioral disturbance	0.3
F02.80	Dementia in other diseases classified elsewhere w/o behavioral disturbance	0.3
F02.81	Dementia in other dx classified elsewhere w/ behavioral disturbance	0.3
F03.90	Unspec. dementia w/o behavioral disturbance	0.3
F03.91	Unspec. dementia w/ behavioral disturbance	0.3
F04	Amnesic d/o due to known physiological condition	0.3
G81.10	Spastic hemiplegia affecting unspec. side	0.5
G81.90	Hemiplegia, unspec. affecting unspec. side	0.5
G82.20	Paraplegia, unspec.	1.1

Nervous System Diseases Continued		
G82.50	Quadriplegia, unspec.	1.2
G95.20	Unspec. cord compression	0.5
Skin and Subcutaneous Tissue Disease		
L97.209	Non-pressure chronic ulcer of unspec. calf w/ unspec. Severity	0.5
L97.309	Non-pressure chronic ulcer of unspec. ankle w/ unspec. Severity	0.5
L89.93	Pressure ulcer of unspec. site, stage 3	1.1
L89.94	Pressure ulcer of unspec. site, stage 4	2.0
L89.95	Pressure ulcer of unspec. site, unstageable	1.1
L98.491	Non-pressure chronic ulcer of skin of other sites limited to breakdown of skin	0.5
L98.492	Non-pressure chronic ulcer of skin of other sites w/ fat layer exposed	0.5
L98.493	Non-pressure chronic ulcer of skin of other sites w/ necrosis of muscle	0.5
L98.498	Non-pressure chronic ulcer of skin of other sites w/ other specified severity	0.5
L98.499	Non-pressure chronic ulcer of skin of other sites w/ unspec. Severity	0.5
Vascular Disease		
I70.0	Atherosclerosis of aorta	0.3
I70.1	Atherosclerosis of renal artery	0.3
I70.209	Unspec. atherosclerosis of native arteries of ext, unspec. Ext	0.4
I70.219	Atherosclerosis of native arteries of ext w/ Intermittentclaudication, unspec. Extremity	0.5
I70.25	Atherosclerosis of native arteries of other ext w/ ulceration *	2.0
I77.9	D/o of arteries and arterioles, unspec.	0.3

Scan QR Code to access more Aledade documentation and coding resources at the Aledade Learning Center



Licensed clinicians should rely on their independent medical judgment to decide whether suggested diagnoses are relevant. Wellness visits are a great opportunity to review and code all appropriate diagnoses. In any visit, ensure appropriate medical evaluation and documentation of the diagnosis to justify billing the payer.

\* Indicates a single code that carries weight in 2 categories